

Taddle Creek

Family Health Team

Title:GABHS PharyngitisNumber:TCFHT-MD13Activation Date:09-Sep-2014Review Date:Oct 13, 2021Next Review:Oct 13, 2022

Sponsoring/Contact Vicki McGregor, RN- vmcgregor@tcfht.on.ca

Person(s) <u>Dr. Erika Frasca</u>

(name, position, 790 Bay Street, Suite 300, Toronto

contact particulars): 416-960-1366

Sherry Kennedy, Executive Director – skennedy@tcfht.on.ca

790 Bay Street, Suite 306, Toronto

416-260-1315 x307

Order and/or Delegated Procedure:

Appendix Attached: X No Yes Title:

Assessment, diagnosis, and treatment of Group A Beta-Hemolytic Streptococcal pharyngitis (ie. Strep Throat) in adults (>15 years of age) in accordance with the conditions identified in this directive.

Recipient Patients:

Appendix Attached: No X Yes

Title: Appendix A – Authorizer Approval Form

Recipients must:

- Be active patients of a TCFHT primary care provider who has approved this directive by signing the Authorizer Approval Form
- Be 15 years of age or older
- Meet the conditions identified in this directive

Authorized Implementers:

Appendix Attached: No X Yes

Title: Appendix B – Implementer Approval Form

Implementers must be TCFHT employed Regulated Health Care Providers or Physician Assistant (under the supervision of a physician).

Implementers must complete the following preparation and sign the Implementer Approval Form:

- 1. Assess own knowledge, skill and judgement to competently assess, diagnose and treat Group A Beta-Hemolytic Streptococcal pharyngitis.
- Review "Evaluation of Acute Pharyngitis in Adults" (Chow & Doron, 2020), accessible from: http://www.uptodate.com

- 3. Review "Symptomatic treatment of acute pharyngitis in adults." (Stead, 2021), accessible from: http://www.uptodate.com
- 4. Review "Treatment and Prevention of Streptococcal Pharyngitis" (Pichichero, 2021), accessible from: http://www.uptodate.com
- 5. Review "Pharyngotonsillitis, Bacterial" (Health Canada, 2017), accessible from: <a href="https://www.canada.ca/en/indigenous-services-canada/services/first-nations-inuit-health/health-care-services/nursing/clinical-practice-guidelines-nurses-primary-care/adult-care/chapter-2-ears-nose-throat-mouth.html#a42
- 6. Review Pharyngitis chapter from "Anti-infective Guidelines for Community-Acquired Infections", most current edition (MUMS, 2019)
- 7. Review "Pharyngitis: approach to diagnosis and treatment" (Sykes et al. 2020). Available at: https://www.cfp.ca/content/66/4/251?rss=1 and "Point of care testing for group A streptococcal pharyngititis" (Craig et al. 2020) available at: https://www.cfp.ca/content/66/1/41
- 8. Review guidelines for collecting a throat swab specimen, accessible from: https://www.dynacare.ca/specialpages/secondarynav/find-a-test/nat/throat%C2%A0culture.aspx?sr=ont&st=throat& and http://tests.lifelabs.com/Microbiology/MICRO-THROAT_C_S.aspx?s=1
- Review and become familiar with the principles of antibiotic therapy and the antibiotics recommended for treatment of Strep A pharyngitis (in MUMS Anti-Infective Guidelines) using a pharmacology reference text and/or CPS. Other resources: RxFiles https://www.rxfiles.ca/rxfiles/uploads/documents/books/charts.html
 Sanford Guide to Antimicrobial therapy https://store.sanfordguide.com/antimicrobial-therapy-c2.aspx
- 10. Review principles of antibiotic stewardship, including Choosing Wisely materials "Using antibiotics wisely in primary care" (2020). Available at: https://choosingwiselycanada.org/campaign/antibiotics-primary-care
- 11. An authorizing primary care provider must supervise 3 cases.

Indications:	Appendix Attached: X No Yes
	Title:

- Eligible patients who present with abrupt onset of sore throat in addition to 1 or more of the following symptoms: fever, tender anterior cervical lymphadenopathy, tonsillopharyngeal and/or uvular edema, patchy tonsillar exudate, palatal petechiae and/or scarlatiniform rash.
- Eligible patient has a positive Rapid Antigen Detection Test for GABHS infection

Contraindications:

- No verbal consent from patient/substitute decision maker for implementer to apply directive.
- Patient is <15 years of age
- Recurrent GAS pharyngitis
- Patient history of acute rheumatic fever or rheumatic heart disease

Consent:	Appendix Attached: X No Yes
	Title:

- Patient's consent is implied for implementer to assess and treat GABHS pharyngitis, as patient
 has presented seeking treatment and is a Family Health Team patient, where interprofessional
 practice is expected.
- Patient informed of purpose of testing, including when results will be available, and follow up required if test is positive or negative
- Patient able to give informed consent, is cooperative, and does not need restraint

	Appendix Attached: No _X_ Yes
Order/Procedure:	Title: Appendix C – Order Treatment Table for GAS
0.40./ocdu.c.	Pharyngitis in Adults >15 years

For assessment and treatment of patients who meet the Indications described above:

- Implementer performs assessment including:
 - History (presenting symptoms, past history of GABHS pharyngitis and treatment, allergies, recent GABHS contacts)
 - Physical assessment (temperature, head and neck examination, chest (if warranted))
- Implementer utilizes the following Clinical Decision Rule for Management of Sore Throat
 (Anti-infective Review Panel, 2019) to calculate throat score and determine appropriate course
 of action as per total throat score:

Clinical Decision Rule for Management of Sore Throat

Step 1 – Centor criteria

Criteria	Points
Temperature > 38 C	1
Absence of Cough	1
Swollen, tender anterior cervical nodes	1
Tonsillar swelling or exudate	1
Age 15-44	0
Age ≥ 45	-1

Step 2

Choose the appropriate management according to the sore throat score:

Total Score	Risk of GABHS Infection (%)	Suggested Management
0 or less	1-2.5	No culture or antibiotic required*
1	5-10	
2	11-17	Perform culture or Rapid Antigen Test
3	28-35	Treat with antibiotic only if test is positive for GABHS
4 or	51-53	Start antibiotic therapy on clinical grounds (patient has high fever or is clinically
more		unwell and presents early in the disease course). If culture or Rapid antigen test

is performed and result is negative then antibiotic should be discontinued.

- *It is always appropriate to perform a throat culture if other clinical factors lead you to suspect Strep infection (eg., household contact).
- Implementer performs point-of-care Rapid Antigen Test, if suggested according to the above Clinical Decision Tool
- If the Rapid Strep Test is positive, implementer communicates with patient that he/she likely has GAS pharyngitis.
 - The implementer will advise the patient/substitute decision maker to treat Pharyngitis according to the attached Order Treatment Table (Appendix D).
 - o Implementer assesses the patient for allergies and documents in the EMR.
 - o Implementer confirms medication profile is accurate and checks for drug interactions.
 - The implementer will prepare a Prescription using the supervising primary care provider initials in Practice Solutions. Prescription should be signed as below:
 - Signature
 - Implementer Name/Primary Care Provider (Medical Directive # TCFHT-MD13)
 - Implementer provides patient with education of common side effects of antibiotics prescribed, when to expect resolution of symptoms, and when to seek further medical assistance.
- If the Rapid Strep Test is negative, implementer performs a throat culture if other clinical factors lead implementer to suspect streptococcal infection (ex. confirmed contact, high fever), for adults who are at higher risk for severe complications (eg., poorly controlled diabetes mellitus, immunocompromised, or on chronic steroids), and for young adults living in high risk settings such as college dormitories/congregate settings
 - Implementer will prepare lab requisition for throat swab culture and sensitivity using the supervising primary care provider initials in Practice Solutions. Lab requisition should be signed as below:
 - Signature
 - Implementer Name/Primary Care Provider Name (Medical Directive # TCFHT-MD13)
 - Implementer to consult with primary care provider to determine alternative etiology, diagnosis, and treatment if Rapid Strep Test and/or throat swab for culture and sensitivity are negative for GAS pharyngitis (ex. viral upper respiratory tract infection, infectious mononucleosis, gonorrhea, acute HIV infection).
- Implementer documents the encounter in the EMR, using TCFHT-MD13 stamp.
- The implementer will review with the patient/substitute decision maker interventions for symptom management (ex. rest, hydration, saline gargles, warm tea, ice, lozenges/spray, honey, over-the- counter antipyretics and analgesics, such as ibuprofen or acetaminophen, avoid smoke, air humidifier).
- Implementer will educate the patient with cough and no fever in addition to their sore throat to stay home and to monitor themselves. They should be cautioned to present for evaluation if fever develops, if they have difficulty swallowing or go to ED if they develop any of the following unusually severe symptoms: secretions, drooling, respiratory distress, stridor, "tripod" position, dysphonia, muffled "hot potato" voice, neck swelling, or lockjaw, stiff neck, crepitus.

- The implementer advises the patient/substitute decision maker that if symptoms do not improve within 48 hours of starting antibiotic treatment, they should see their primary care provider.
- Implementer will follow up with lab results promptly (if applicable) and review with the patient's primary care provider.

Documentation and Communication:	Appendix Attached: No _X_ Yes
	Title: Appendix D – TCFHT-MD13 Stamp; Appendix E –
	Sample Lab Requisition; Appendix F – Sample
	Prescription

- Documentation in the patient's EMR needs to include: name and number of directive, name of implementer (including credentials), and name of patient's physician/nurse practitioner who has authorized directive.
- Information regarding implementation of the procedure and the patient's response should be documented in the patient's EMR, in accordance with standard documentation practice (CNO, 2008; Potter & Perry, 2006).
- Standard documentation is recommended for prescriptions, requisitions, and requests for consultation.
- RN will send a message in Practice Solutions to patient's primary care provider, notifying him/her that patient was seen and to review note in EMR.

Review and Quality Monitoring Guidelines:	Appendix Attached: X No Yes
	Title:

- Review will occur annually on the anniversary of the activation date. Review will involve a collaboration between the authorizing primary care providers and the approved implementers.
- If new information becomes available between routine reviews, such as the publishing of new clinical practice guidelines, and particularily if this new information has implications for unexpected outcomes, the directive will be reviewed by an authorizing primary care provider and a mimimum of one implementer.
- At any such time that issues related to the use of this directive are identified, TCFHT must act
 upon the concerns and immediately undertake a review of the directive by the authorizing
 primary care providers and the authorized implementers.
- This medical directive can be placed on hold if routine review processes are not completed, or
 if indicated for an ad hoc review. During the hold, implementers cannot perform the
 procedures under authority of the directive and must obtain direct, patient-specific orders for
 the procedure until it is renewed.

References:

Anti-infective Review Panel. (2019). *Anti-infective Guideline for Community-acquired Infections*. Toronto: MUMS Guideline Clearinghouse.

Chow, A.W., & Doron, S. (2021). *Evaluation of Acute Pharyngitis in Adults*. Retrieved from http://www.uptodate.com/contents/evaluation-of-acute-pharyngitis-in-adults?source=search result&search=pharyngitis&selectedTitle=1%7E150

College of Nurses of Ontario. (2008). *Practice Standard: Documentation*. Retrieved from http://www.cno.org/Global/docs/prac/41001 documentation.pdf

Pichichero, M. (2021). *Treatment and Prevention of Streptococcal Pharyngitis*. Retrieved from http://www.uptodate.com/contents/treatment-and-prevention-of-streptococcal-tonsillopharyngitis?source=see link

Stead, W. (2021). Symptomatic Treatment of Acute Pharyngitis in Adults. Retrieved from http://www.uptodate.com/contents/symptomatic-treatment-of-acute-pharyngitis-in-adults?source=see_link

Potter, P.A. & Perry, A.G. (2006). Fundamentals of Nursing. St. Louis: Mosby.

Appendix A:

Authorizer Approval Form

Name	Signature	Date	
			
		· · · · · · · · · · · · · · · · · · ·	
		·	
		·····	
			

Appendix B:

Implementer Approval Form

To be signed when the implementer has completed the required preparation, and feel they have the	ıe
knowledge, skill, and judgement to competently carry out the actions outlined in this directive.	

Name	Signature	Date		
	_			
	-			
	_			

Appendix C

Order Treatment Table for GABHS Pharyngitis in Adults >15 years

The primary purpose of treatment is to prevent acute rheumatic fever. Based on available evidence, and unless otherwise stated, regimens require 10 days in order to achieve successful treatment and prevent post-streptococcal sequelae.

Adults	Viral 80-90% of the time Pharyngitis is NOT bacterial	NO Antibiotic treatment indicated	Viral features include: Conjunctivitis, cough, hoarseness, coryza, anterior stomatitis, discrete ulcerative lesions
	Bacterial Group A Strep	First Line: Penicillin V	300 mg TID or 600 mg BID
		Amoxicillin	500 mg BID
		Second Line: Cephalexin	500 mg BID
		Cefadroxil	500 mg BID
		Cefuroxime	250 mg BID
		Cefprozil	250mg BID
		Third Line:	
		Azithromycin	500 mg on first day then 250 mg x4 days
		Clarithromycin	250 mg BID
		Erythromycin	250mg QID

Appendix D

TCFHT-MD13 STAMP

S: •; reports • day hx of «sore throat,» « fever,» « and» «tender/swollen neck lymph nodes» «no cough, no nasal congestion or other flu-like symptoms» has «not» had Strep throat in the past - • «no» confirmed close contacts with Strep; •

O: Temp: •

«no» anterior cervical lymphadenopathy «no» pharyngeal erythema «no» tonsillar swelling «no» tonsillar purulent exudates Chest auscultation: •

Throat Score:

(«1» «0») Temp > 38 Deg.C («1» «0») Absence of cough («1» «0») Swollen, tender ant. cervical nodes («1» «0») Tonsillar swelling or exudates («1» «0») Age 15-44 yr («-1» «0») Age > 45 yr Total score: •

Rapid Antigen Test: •

A: «GAS pharyngitis» «likely viral URI»

P:

- «- treatment with antibiotics (see below)»
- «- throat C&S»
- reviewed symptom management salt water gargles four times a day, lozenges, rest maintain good hydration, hand hygiene, warm tea, avoidance of irritants (ex. smoke)
- Tylenol or Advil for pain or if fever develops
- «- RTC if symptoms persist or worsen after 48-72 hours of treatment»
- «- provider to f/u with C&S results»
- «- provider to notify primary care physician of patient encounter»
- «- Monitor cough and fever; RTC or go to Emergency if fever develops, have difficulty swallowing, or develop any of the following unusual symptoms: secretions, drooling, dysphonia, muffled "hot potato" voice or neck swelling»

^{*}actions and interventions in accordance with Medical Directive TCFHT-MD13_GABHS Pharyngitis

Appendix E

TCFHT-MD13 SAMPLE LAB REQUISITION

Ontario Ministry of Health and Long-Rerm Care				Laboratory Use Only										
-														
Laiboratory Requisition Requisitioning Clinician / Practitioner														
Name														
Trudy Chernin														
Addr			_											
) Bay Street, Suite 300, P	O Box	ο,											
	onto, ON, G 1N8				Clin	ician/Practitioner's Contact N	lumber for Vrge	nt Result	s		yyyy	ice Date mm	dd	
Clinician/Practitioner Number CPSO / Registration No.			(416) 960-1366 Ext.) francisco	Sex		. n	alle of Birth	_			
			неа	IIN NUMBET		Version			yyyy	mm	dd			
271858			Dens	ince Other Provincial Regist	ration Number		×M	Dation?	1964 s Telephone Co	ntart Number	27			
	ck (k / Hnine	umori -	WSB	۳	and Ouni Hovanna Hugan	rasci i talica				•			
1	itional Clinical Information (e.g.				Pati	eni's Last Name <i>(as per OHI</i>)	P Card)			41	6 417-28)9		
			-7			house	,							
						ent's First & Middle Names (as per OHIP Ca	vd)						
					Mir	chael		·						
	Copy to: Clinician/Practitioner					ent's Address (including Post	tal Code)		-					
Lans		First Nam	е		12	3 Bay Street								
A					1	ronto, ON								
Addr	ess				1	F 3G5								
Mot	e: Separate requisitions are	e requin	ed for cytol	ogy , his	toloj		performed i	by Publi						
X	Biochemistry				X	Hematology					atitis (check	one only)		
		ndom	Fastir	g		CBC Prothrombin Time (INR)			_	vcule Hepa				
	HbA1C Creatinine (eGFR)								_	hronic He noune St	atus / Previous I	Ernocure		
-	Uric Acid				Immunology Pregnancy Test (Urine)					Hepatitis A	-xposure			
	Sodium				Mononucleosis Screen Rubella				Hepatitis B Hepatitis C					
	Potassium													
Chloride			Prenatal: ABO, RhD, Antibody Screen				or order individual hepatitis tests in the "Other Tests" section below							
	СК					(titre and ident. if positive)			Prostate Specific Antigen (PSA)					
	ALT				Repeat Prenatal Antibodies				☐ Total PSA ☐ Free PSA					
	Alk. Phosphatase				Microbiology ID & Sensitivities				Specify one below:					
	Bilirutin					(if warranted)			Insured – Meets OHIP eligibility criteria					
	Albumin	oloeforol I	UDI C Tricks	roridoe		Cervical			Uninsured – Screening: Patient responsible for payment Vitamin D (25-Hydroxy)					
	Lipid Assessment (includes Chr calculated LDL-C & Chol/HDL-C be ordered in the "Other Tests"	C ratio; inc	lividual lipid te	sts may		Vaginal Vaginal / Rectal — Group B	Stron							
	Albumin / Creatinine Ratio, Unir		uns willy			Chlamydia (specify source				oste	ls OHIP eligibili openia; osteopi	rosis; rickets;		
	Urinalysis (Chemical)					GC (specify source):	*				l disease; mala ications affectin			
	Neonatal Bilirubin:					Spulum			Unit		ibent responsibl			
	Child's Age: d	ays		nours	X	Throat			Othe	r Tests -	one test per	line		
	Clinician/Practitioner's tel. no.					Wound (specify source):								
	Patient's 24 hr telephone no.					Urine								
_	Therapeutic Drug Monitoring					Stool Culture								
-	Name of Drug #1					Stod Ova & Parasites	fir norma-t-							
-	Name of Drug #2 Time Collected #4	hr.	#2	hr.		Other Swabs / Pus (specif	у миние).							
}	Time of Last Dose #1	hr.	#2	hr.	Spe	cimen Collection								
	Time of Next Dose #1	hr.	#2	hr.	Tim									
I he	ereby certify the tests ordered :	are not fo	r registered .	in or	Fed	al Occult Blood Test (F	OBT) (check	one)						
	t pagents of a hospital.	-				FOBT (non CCC)	ColonCan	cerCheck	FOBT (CCC) no c	ther test can be	ordered on th	is form	
	X++)			Lab	oratory Use Only									
	9) (LIDARIN)													
S	hazmah Hussein, RN	VDr. T	rudy Che	ernin										
	ledical Directive TCF													
X	ician/Practitioner Signature		21/05/2014 Date											
	B4 (2012/11)												7530-4581	

Appendix F

TCFHT-MD13 SAMPLE PRESCRIPTION

Taddle Creek Family Health Team Trudy Chernin, B.Sc.(N), M.D., F.C.F.P. 790 Bay St, Suite 300 Toronto, ON, M5G 1N8 Tel: 416-960-1366 Fax: 416-960-1945


R

For: Michael (Mick) Millhouse

123 Bay Street

Toronto, ON M1F3G5

DOB: Mar 27, 1964 M 416-417-2809 (H) May 21, 2014



Michael (Med) Millhouse penicillin V 600mg BID by mouth Quantity: 10 days Paraman Hussein, RN/Dr. Trudy Chernin (Medical Directive # TCFHT-MD13)

Trudy Chernin MD, FCFP

Professional ID:

Last Updated 13/10/2021 by Vicki McGregor, RN

TCFHT-MD13_GABHS Pharyngitis		13
L	ast Updated 13/10/2021 by Vicki McGregor, RN	